10X Industrial Sweeper

Power Boss The Power of Clean



- → Superior 84″ Sweeping Path
 - → Cast Iron Kubota LPG, Gasoline or Diesel Engine
 - → Full High Dump 64" with 2,000 lb Rotating Hopper
 - → High Performance Industrial-Grade Dual Panel Dust Filtration

Power of Clean

10X Industrial Sweeper

Agricultural Grade E-Coated Steel

Weatherproof steel construction

Parker Hannifin Hoses & Eaton Hydraulic Pump

Severe environment, industrialgrade components

All Hydraulic and Cable Functions

No computer chip or microprocessor



Heavy Duty Filtration

Dual "no tools change" synthetic panel filters and aggressive twin shaker motors





Ergonomics System

Open cockpit with unobstructed view



Operator and Environmental Safety

Common industrial options to maximize utilization



Maintenance Benefits

Full engine access for easy serviceability




Power Flex Suspension

Reduces operator fatigue and increases operator comfort

Safety and Additional Machine Benefits

- Simple Operator Controls
 All hydraulic and cable connections
- Mobile Dumpster
 Hand collect large debris
 while sweeping
- Full View Debris Hopper Easily view when full or need to rotate
- Easy Maintence No tools change brush









Severe Environment Reliability

Performance in the harshest environments





(width- with dual side brush)

(width- with single side brush)

10X Industrial Sweeper

The 10X offers the largest sweeping footprint of the PowerBoss Sweeper Product line. Rugged all-steel construction, a 2,000 lb/30ft hopper, and Kubota Tier IV engine ensure superior industrial reliability in the most severe environments.

10X PRODUCTIVITY	
Productivity	217800 sq ft per hour
SWEEPING SYSTEM	
Cleaning Path: Single Side Brush/Dual	72 in/84 in
Main Sweeping Broom (length)	56 in
Side Broom Diameter	26 in
Hopper Size Capacity	30 Cu ft
Hopper Weight Capacity	2,000 lbs
Maximum Hopper Height	64 in
Hopper Material	Agricultural Steel
Filter Area	180 sq ft
Panel Filter Dust Filtration	1 Micron @99% Efficiency
MACHINE SPECIFICATIONS	

0.40 2.00 2.4010.	
Hopper Size Capacity	30 Cu ft
Hopper Weight Capacity	2,000 lbs
Maximum Hopper Height	64 in
Hopper Material	Agricultural Steel
Filter Area	180 sq ft
Panel Filter Dust Filtration	1 Micron @99% Efficiency
MACHINE SPECIFICATIONS	
Length	108.88 in
Width	68 in
Height to Steering Wheel	55.5 in
With OHG/Cab	81 in
Minimum Aisle Turn	115 in
Minimum Aisle Turn	110 in

ENGINE	
KUBOTA 1605 LPG	55 HP @ 3600 RPM/48.3 HP @ 3,000 RPM
KUBOTA 1605 Gas	57 HP @ 3600 RPM/49.6 HP @ 3,000 RPM
Kubota Turbo Diesel D1803	49.6 HP / 2700 RPM
Gasoline, LPG, Oil Capacity	1.59 gal/6.0L
Fuel Tank Capacity (gas or diesel)	7.64 gal
Turbo Diesel Oil Capacity	1.88 gal/7.0L
Block and Head Material	Cast Iron

PowerBoss Kubota Engine Advantage

- Cast iron engine block and head = less thermal stress
- No timing belts, pulleys or tensioners = protection from dirt and debris
- Kubota engine was built for the industrial customer, non-automotive design
- More oil capacity = more lubrication
- World renowned reliability and performance
- PowerBoss industry leading engine warranty



10X MDC HEPA Sweeper - Optional HEPA/MERV 17 Package

▶ 5 Stage Dust **Control** with **HEPA Filter**

▶ 10X MDC **HEPA** Sweeper

▶ MERV 17 **HEPA 99.97%** efficiency

▶ Vacuumized side broom









